

**Claims:**

1. A device for piercing the stratum corneum of a body surface to form pathways through which an agent can be introduced or withdrawn, comprising:

a sheet having at least one opening therethrough and a plurality of blades extending downward therefrom, at least one of the plurality of blades having an anchor for anchoring the device to the body surface.

2. The device of Claim 1 wherein the anchor is selected from the group consisting:

- (i) a projection extending out from the at least one blade;
- (ii) a barb;
- (iii) at least one opening extending through the at least one blade;
- (iv) an adhesive on a body contacting surface of the sheet and on at least one surface of at least one of the plurality of blades;
- (v) each of the blades having an axis, the blades being oriented so that the blade axes are substantially parallel and the axes form an angle of about 1° to about 89° relative to the sheet;
- (vi) each one of the plurality of blades defines essentially a plane and wherein the anchor comprises a portion of the plurality of blades being oriented at an angle of about 90° with respect to a remaining portion of the plurality of blades; and
- (vii) each one of the plurality of blades defines essentially a plane and wherein the anchor comprises a portion of the plurality of blades being oriented at an angle within a range of about 1° to about 89° with respect to a remaining portion of the plurality of blades.

3. The device of Claim 2, wherein the projection extends out from a plane defined by the at least one blade.

1 4. The device of Claim 3, wherein the projection is a prong.

2

3 5. The device of Claim 2, wherein the projection is integral with an  
4 edge of the at least one blade and in a plane defined by the at least one  
5 blade.

6

7 6. The device of Claim 1, further comprising a therapeutic agent  
8 delivery device connected to the piercing device and positioned to deliver a  
9 therapeutic agent through the opening to the body surface, the agent delivery  
10 device being selected from the group consisting of an electrotransport device,  
11 a passive diffusion device, an osmotic device, and a pressure driven device.

12

13 7. The device of Claim 6, wherein the agent comprises a polypeptide  
14 or protein.

15

16 8. The device of Claim 1, further comprising a sampling device  
17 connected to the piercing device and positioned to sample a substance from  
18 the body surface through the opening, the sampling device being selected  
19 from the group consisting of a reverse electrotransport device, a passive  
20 diffusion device, an osmotic device, and a negative pressure driven device.

21

22 9. The device of Claim 8, wherein the sampled substance is selected  
23 from the group consisting of body electrolytes, illicit drugs and glucose.

24

25 10. The device of Claim 1, wherein a portion of the plurality of blades  
26 are located along a periphery of an opening through the sheet.

27

28 11. The device of Claim 1, wherein a portion of the plurality of blades  
29 are located along a periphery of a plurality of openings through the sheet.

30

1           12. The device of Claim 11, further comprising a plurality of second  
2 openings through the sheet being spaced between the plurality of openings.

3  
4           13. The device of Claim 1, wherein the device has about 600 to about  
5 1000 blades/cm<sup>2</sup>.

6  
7           14. The device of Claim 1, wherein the device has at least about 800  
8 blades/cm<sup>2</sup>

9  
10           15. The device of Claim 1, wherein at least a portion of the plurality of  
11 blades have a length sufficient to pierce the stratum corneum of the body  
12 surface to a depth of at least about 25  $\mu$ m.

13  
14           16. The device of Claim 1, wherein each of the plurality of blades is  
15 oriented approximately perpendicular to the sheet.

16  
17           17. The device of Claim 1, wherein each of the plurality of blades is  
18 oriented at an angle in the range of about 1° to about 89° to the sheet.

19  
20           18. The device of Claim 1, wherein each of the plurality of blades is  
21 oriented at an angle in the range of about 10° to about 60° to the sheet.

22  
23           19. The device of Claim 1, wherein at least a portion of the plurality of  
24 blades have a thickness in the range of about 7  $\mu$ m to about 100  $\mu$ m.

25  
26           20. The device of Claim 1, wherein at least a portion of the plurality of  
27 blades have a thickness in the range of about 25  $\mu$ m to about 50  $\mu$ m.

28

1           21. The device of Claim 1, wherein the plurality of blades is composed  
2 of a material selected from the group consisting of metals, metal alloys,  
3 glasses, ceramics and rigid polymers.

4  
5           22. The device of Claim 1, wherein the sheet and the plurality of  
6 blades are substantially impermeable to the passage of the agent.

7  
8           23. The device of Claim 1, wherein the plurality of blades are thinner  
9 than the sheet.

10  
11           24. A device for piercing the stratum corneum of a body surface to  
12 form pathways through which an agent can be introduced or withdrawn,  
13 comprising:

14           a sheet having a plurality of openings therethrough, at least one of  
15 said openings having a plurality of blades located along a periphery thereof  
16 and extending downward from the sheet, and an anchor for anchoring the  
17 device to the body surface.

18  
19           25. The device of Claim 24, wherein the anchor is selected from the  
20 group consisting:

- 21           (i) a projection extending out from at least one blade;  
22           (ii) a barb on a blade;  
23           (iii) at least one opening extending through at least one blade;  
24           (iv) an adhesive on a body contacting surface of the sheet and on at  
25 least the plurality of blades;  
26           (v) a portion of the plurality of blades being oriented at an angle of  
27 about 90° with respect to a remaining portion of the plurality of blades; and  
28           (vi) each one of the plurality of blades defines essentially a plane and  
29 wherein the anchor comprises a portion of the plurality of blades being

1 oriented at an angle within a range of about 1° to about 89° with respect to a  
2 remaining portion of the plurality of blades.

3  
4 26. The device of Claim 25, wherein the projection extends out from a  
5 plane defined by at least one blade.

6  
7 27. The device of Claim 26, wherein the projection is a prong.

8  
9 28. The device of Claim 25, wherein the projection is integral with an  
10 edge of the at least one blade and in a plane defined by the at least one  
11 blade.

12  
13 29. The device of Claim 24, wherein the anchor comprises a plurality  
14 of openings extending through at least one blade.

15  
16 30. The device of Claim 24, further comprising a therapeutic agent  
17 delivery device connected to the piercing device and positioned to deliver a  
18 therapeutic agent through the opening to the body surface, the agent delivery  
19 device being selected from the group consisting of an electrotransport device,  
20 a passive diffusion device, an osmotic device, and a pressure driven device.

21  
22 31. The device of Claim 30, wherein the agent comprises a  
23 polypeptide or protein.

24  
25 32. The device of Claim 24, further comprising a sampling device  
26 connected to the piercing device and positioned to sample a substance from  
27 the body surface through the openings, the sampling device selected from  
28 the group consisting of a reverse electrotransport device, a passive device,  
29 an osmotic device, and a negative pressure driven device.

30

1           33. The device of Claim 32, wherein the sampled substance is  
2 selected from the group consisting of body electrolytes, illicit drugs and  
3 glucose.

4  
5           34. The device of Claim 24, further comprising a plurality of second  
6 openings through the sheet being spaced between the plurality of openings.

7  
8           35. The device of Claim 24, wherein the device has about 600 to  
9 about 1000 blades/cm<sup>2</sup>.

10  
11           36. The device of Claim 24, wherein the device has at least about  
12 800 blades/cm<sup>2</sup>.

13  
14           37. The device of Claim 24, wherein at least a portion of the plurality  
15 of blades have a length sufficient to pierce the stratum corneum of the body  
16 surface to a depth of at least about 25  $\mu$ m.

17  
18           38. The device of Claim 24, wherein each of the plurality of blades is  
19 oriented approximately perpendicular to the sheet.

20  
21           39. The device of Claim 24, wherein each of the plurality of blades is  
22 oriented at an angle in the range of about 1° to about 89° to the sheet.

23  
24           40. The device of Claim 24, wherein each of the plurality of blades is  
25 oriented at an angle in the range of about 10° to about 60° to the sheet.

26  
27           41. The device of Claim 24, wherein the plurality of blades have a  
28 thickness in the range of about 7  $\mu$ m to about 100  $\mu$ m.  
29

1           42. The device of Claim 24, wherein the plurality of blades have a  
2 thickness in the range of about 25 micrometers to about 50 micrometers.

3  
4           43. The device of Claim 24, wherein each of the plurality of blades are  
5 composed of a material selected from the group consisting of metals, metal  
6 alloys, glasses, ceramics and rigid polymers.

7  
8           44. The device of Claim 24, wherein the sheet and the plurality of  
9 blades are substantially impermeable to the passage of the agent.

10  
11           45. The device of Claim 24, wherein the plurality of blades are thinner  
12 than the sheet.

13  
14           46. A method for producing a device for piercing the stratum corneum  
15 of a body surface, the method comprising:

16           applying a layer of photo-resist to a first side of a sheet;

17           exposing the layer of photo-resist through a mask pattern for  
18 producing a plurality of blades,

19           etching exposed portions of the photo-resist and the sheet to produce  
20 the plurality of blades and openings through the sheet;

21           punching the plurality of blades through the openings such that the  
22 plurality of blades extend downward from the sheet; and

23           incorporating the device for piercing the stratum corneum into a  
24 delivery device or sampling device.

25  
26           47. The method of Claim 46, wherein the photo-resist is a resist  
27 selected from the group consisting of wet resist and dry resist.

28  
29           48. The method of Claim 46, wherein the etching step comprises  
30 spray etching.

1

2

49. The method of Claim 46, wherein the punching step comprises:

3

placing the sheet on a die having a plurality of openings corresponding

4

to the plurality of blades and openings of the sheet; and

5

bending the plurality of blades through the openings to be substantially

6

perpendicular to the sheet with a punch having a plurality of protrusions

7

corresponding to the plurality of openings in the die and the plurality of

8

openings of the sheet.

9

10

50. A method of transdermally sampling an agent, comprising:

11

a. placing a device on a body surface through which the agent is to

12

be withdrawn, the device including a sheet having at least one opening

13

therethrough and a plurality of blades extending downward therefrom

14

whereby agent transmitting pathways are formed through the stratum

15

corneum at the body surface, and a reservoir in agent-transmitting relation

16

with the opening;

17

b. withdrawing the agent through the pathways and said opening; and

18

c. collecting the agent in the reservoir.

19

20

51. The method of Claim 50, wherein the sampled agent is selected

21

from the group consisting of body analytes, electrolytes, blood gases, illicit

22

drugs, licit drugs and glucose.

23

24

52. The method of Claim 50, further comprising:

25

connecting a sampling device to a side opposite of a side of the sheet

26

having the blades extending downward therefrom, the sampling device being

27

selected from the group consisting of a reverse electrotransport sampling

28

device, a passive sampling device, an osmotic sampling device, and a

29

negative pressure driven sampling device.

add A3  
add O3